

Ser. No. 10/084,774  
Amdt. dated June 29th, 2007  
Reply to Office action of December 29th, 2006

PU020046

RECEIVED  
CENTRAL FAX CENTER

JUN 29 2007

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of the Claims

1. (currently amended) An outdoor unit of a satellite television ground system comprising:
  - converter circuitry operative to receive a first satellite television signal and a second satellite television signal and to block downconvert the first satellite television signal and the second satellite television signal;
  - coarse tuning circuitry in communication with said converter circuitry and operative to coarse tune the first block downconverted satellite television signal and the second block downconverted television signal; and
  - oscillator circuitry in communication with said converter circuitry and said coarse tuning circuitry, and operative to generate and provide an oscillator signal to said converter circuitry for block downconverting the first satellite television signal, and to generate and provide the oscillator signal to said coarse tuning circuitry for coarse tuning the first downconverted satellite television signal.
2. (original) The outdoor unit of claim 1, wherein said oscillator circuitry comprises a frequency locked oscillator.
3. (original) The outdoor unit of claim 1, wherein said coarse tuning circuitry comprises:
  - a first frequency synthesizer in communication with said oscillator circuitry and operative to generate a first synthesized signal;
  - a first signal combiner in communication with said first frequency synthesizer and said converter circuitry, said first signal combiner operative to receive said first block downconverted signal from said converter circuitry and said first synthesized signal from said first frequency synthesizer, and to produce a first combined signal; and
  - a filter in communication with said first signal combiner and operative to receive said first combined signal and pass a first coarse tuned signal therefrom.
4. (cancelled)

Ser. No. 10/084,774  
Amdt. dated June 29th, 2007  
Reply to Office action of December 29th, 2006

PU020046

RECEIVED  
CENTRAL FAX CENTER

JUN 29 2007

5. (currently amended) The outdoor unit of claim 1, wherein said coarse tuning circuitry comprises:

a first frequency synthesizer in communication with said oscillator circuitry and operative to generate a first synthesized signal;

a first signal combiner in communication with said first frequency synthesizer and said converter circuitry, said first signal combiner operative to receive said first block downconverted signal from said converter circuitry and said first synthesized signal from said first frequency synthesizer, and to produce a first combined signal;

a filter in communication with said first signal combiner and operative to receive said first combined signal and pass a first coarse tuned signal therefrom;

a second frequency synthesizer in communication with said oscillator circuitry and operative to generate a second synthesized signal;

a second signal combiner in communication with said second frequency synthesizer and said converter circuitry, said second signal combiner operative to receive said second block downconverted signal from said converter circuitry and said second synthesized signal from said second frequency synthesizer, and to produce a second combined signal; and

a second filter in communication with said second signal combiner and operative to receive said second combined signal and pass a second coarse tuned signal therefrom.

6. (original) An outdoor unit for a satellite television ground system comprising:

means for receiving and block downconverting a first satellite television signal and a second satellite television signal;

means, in communication with said means for receiving and block downconverting a first satellite television signal and a second satellite television signal, for coarse tuning said first block downconverted satellite television signal and said second block converted satellite television signal; and

means for generating and providing an oscillator signal to said means for block downconverting a first satellite television signal and a second satellite television signal for block downconverting the first satellite television signal and the second satellite television signal and for generating and providing the oscillator signal to said means for coarse tuning said first block downconverted satellite television signal and said second block converted satellite signal for coarse tuning the first downconverted satellite television signal and said second downconverted satellite signal.

Ser. No.10/084,774  
Amdt. dated June 29th, 2007  
Reply to Office action of December 29th, 2006

PU020046

7. (original) The outdoor unit of claim 6, wherein said means for generating and providing an oscillator signal comprises means for generating and providing a frequency locked oscillator signal.
8. (original) The outdoor unit of claim 6, wherein said means for coarse tuning said first block downconverted satellite television signal comprises:  
means, in communication with said means for generating and providing an oscillator signal, for generating a first frequency synthesized signal from said oscillator signal;  
means, in communication with said means for generating a first frequency synthesized signal and said means for block down converting a first satellite television signal, for combining said first frequency synthesized signal with said first block downconverted satellite television signal, and to produce a first combined signal therefrom;  
and  
means, in communication with said means for combining, for filtering a coarse tuned signal from said combined signal.
9. (cancelled)
10. (original) The outdoor unit of claim 9, wherein said means for coarse tuning comprises:  
means, in communication with said means for generating and providing an oscillator signal, for generating a first frequency synthesized signal from said oscillator signal;  
means, in communication with said means for generating a first frequency synthesized signal and said means for downconverting, for combining said first synthesized signal with said first block downconverted satellite television signal, and to produce a first combined signal therefrom;  
means, in communication with said means for combining, for filtering a first coarse tuned signal from said first combined signal;  
means, in communication with said means for generating and providing an oscillator signal, for generating a second frequency synthesized signal from said oscillator signal;  
means, in communication with said means for generating a second frequency synthesized signal and said means for downconverting, for combining said second synthesized signal with said second block downconverted satellite television signal, and to produce a second combined signal therefrom; and  
means, in communication with said means for combining, for filtering a second coarse tuned signal from said second combined signal.

Ser. No.10/084,774  
Amdt. dated June 29th, 2007  
Reply to Office action of December 29th, 2006

PU020046

11. (original) In an outdoor unit of a satellite television ground system, a method of processing a satellite television signal comprising the steps of:
- receiving a first satellite television signal;
  - receiving a second satellite television signal
  - block downconverting the first satellite television signal and the second satellite television signal;
  - coarse tuning the first block downconverted satellite television signal and the second downconverted satellite signal;
  - generating an oscillator signal; and
  - utilizing the oscillator for block downconverting and coarse tuning the first satellite television signal and the second satellite television signal.
12. (original) The method of claim 11, wherein:
- the step of block downconverting the first satellite television signal includes the steps of:
    - generating a frequency multiplier signal;
    - combining the frequency multiplier signal with the first satellite television signal; and
    - filtering the combined signal to obtain the block downconverted satellite television signal; and
  - the step of coarse tuning the first block downconverted satellite television signal includes the steps of:
    - generating a frequency synthesizer signal;
    - combining the frequency synthesizer signal with the block downconverted satellite television signal; and
    - filtering the combined signal to obtain the coarse tuned satellite television signal.
13. (cancelled)
14. (cancelled)
15. (original) The method of claim 11, wherein the step of generating an oscillator signal includes the steps of:
- receiving a master oscillator signal from an indoor unit of the satellite ground system; and
  - utilizing the master oscillator signal to generate the oscillator signal.